

Is A Permit Required For Inflatable Pools?

- Pools holding 24 inches or more of water depth require a Zoning and Building Permit.
- Pool filtration systems must be directly connected to a GFCI receptical.
- The use of extension cords is prohibited.
- An Electrical Permit is required for the installation of a GFCI receptical.



THE INSTRUCTION MANUAL INCLUDED WITH THESE POOLS USUALLY INCLUDES A WARNING TO CONTACT YOUR LOCAL BUILDING/ZONING AGENCY PRIOR TO INSTALLATION.

Zoning Ordinance Requirements For Private Swimming Pools

Private swimming pools shall be permitted as an accessory use within the rear yard or a non-required side yard, provided they meet the following requirements:

- Private swimming pools shall require the Zoning Administrator's review and approval.
- The minimum distance between an adjoining property line and the outside of the swimming pool wall shall be no less than fifteen (15) feet.
- There shall be a distance of not less than ten (10) feet between the outside pool wall and any building located on the same lot or parcel.
- No swimming pool shall be located less than thirty-five (35) feet from any front lot line.
- No swimming pool shall be located in an easement.
- For the protection of the general public, all yards containing swimming pools shall be completely enclosed by a fence not less than four (4) feet in height. The gates shall be self-closing and latching type, with the latch on the inside of the gate not readily available for children to open. Gates shall be capable of being securely locked when the pool is not in use for extended periods. Provided, however, that if the entire premises of the residence is enclosed by a fence not less than four (4) feet in height, then this provision may be waived by the Building Inspector upon inspection and approval.
- The swimming pool shall be placed at least ten (10) feet from any overhead wiring as measured horizontally when viewed from above.

**CONTACT THE MARATHON TOWNSHIP BUILDING & ZONING DEPARTMENT FOR MORE INFORMATION
(810) 793-2002**